



STATAMAT
BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell



PART VIII

GAS DETECTION



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE




Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

VIII - Gas Detection

Control Panels

REFERENCE	Unipoint Series DIN-Railsystem		UNIT PRICE IN €
	<p><i>The Zareba Unipoint is a simple DIN rail mounted controller offering integrators a flexible and low cost solution to incorporate flammable, toxic or oxygen gas detection into their control systems.</i></p> <p><i>Unipoint can be easily installed into any plastic or metal enclosure for use indoor or outdoor and even in potentially explosive atmospheres.</i></p> <p><i>Each controller is supplied with all necessary removable terminals, DIN rail socket and power connector.</i></p>		
Z-2306B2000	5W	UNIPOINT CONTROLLER mV INPUT VERSION Compatible with combustible gas detectors.	 479,00
Z-2306B1000	5W	UNIPOINT CONTROLLER mA INPUT VERSION Compatible with toxic gas detectors (4-20mA).	 479,00
Z-ZDINPSUX1	5W	DIN RAIL MOUNTED POWER SUPPLY 24Vdc - 1A Up to 4 Unipoint controller modules can be connected.	 128,75



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

REFERENCE **Touchpoint Series System** UNIT PRICE IN €

The Zareba Touchpoint controllers operate any one of the sensepoint range of gas detector providing 24 hours protection from flammable, toxic or oxygen gas hazards. The Touchpoint controllers are available in 2 enclosures. Touchpoint 1 connects one gas detector, while Touchpoint 4 can connect up to 4 gas detectors. The Touchpoint controllers are supplied complete with wall mounting bracket and instruction manual. Touchpoint Controllers contain 2 alarm relays, 1 fault relay, integrated buzzer 85dB, 4-20mA repeatable output, 24V backup connection and event history. Touchpoint 4 contains also a general alarm relay and a 24V signalisation output. Touchpoint 4 controllers can be extended till 4 modules. Two versions of input module are available, the mV input for connection of a combustible gas detector and the mA input for connection of a toxic gas detector. Please refer to detector datasheets to ensure compatibility.

TOUCHPOINT 1

1 Channel - Non expandable

Z-TPWM1101	5W	TOUCHPOINT 1 CONTROLLER mV INPUT VERSION		1051,00
Z-TPWM1110	5W	TOUCHPOINT 1 CONTROLLER mA INPUT VERSION		1051,00

▼▼ NEW
TOUCHPOINT 4



1 Channel - Expandable till 4

Z-TPWM4101	5W	TOUCHPOINT 4 CONTROLLER WITH 1 mV INPUT MODULE		1408,00
Z-TPWM4110	5W	TOUCHPOINT 4 CONTROLLER WITH 1 mA INPUT MODULE		1375,00

2 Channels - Expandable till 4

Z-TPWM4202	5W	TOUCHPOINT 4 CONTROLLER WITH 2 mV INPUT MODULES		1891,00
Z-TPWM4220	5W	TOUCHPOINT 4 CONTROLLER WITH 2 mA INPUT MODULES		1828,00
Z-TPWM4211	5W	TOUCHPOINT 4 CONTROLLER WITH 1 mV & 1 mA INPUT MODULES		1858,00

3 Channels - Expandable till 4

Z-TPWM4303	5W	TOUCHPOINT 4 CONTROLLER WITH 3 mV INPUT MODULES		2375,00
Z-TPWM4330	5W	TOUCHPOINT 4 CONTROLLER WITH 3 mA INPUT MODULES		2280,00
Z-TPWM4312	5W	TOUCHPOINT 4 CONTROLLER WITH 1 mV & 2 mA INPUT MODULES		2348,00
Z-TPWM4321	5W	TOUCHPOINT 4 CONTROLLER WITH 2 mV & 1 mA INPUT MODULES		2312,00

4 Channels

Z-TPWM4404	5W	TOUCHPOINT 4 CONTROLLER WITH 4 mV INPUT MODULES		2870,00
Z-TPWM4440	5W	TOUCHPOINT 4 CONTROLLER WITH 4 mA INPUT MODULES		2730,00
Z-TPWM4413	5W	TOUCHPOINT 4 CONTROLLER WITH 1 mV & 3 mA INPUT MODULES		2830,00
Z-TPWM4431	5W	TOUCHPOINT 4 CONTROLLER WITH 3 mV & 1 mA INPUT MODULES		2765,00
Z-TPWM4422	5W	TOUCHPOINT 4 CONTROLLER WITH 2 mV & 2 mA INPUT MODULES		2798,00

Expansion modules

Z-TP4MVEK	5W	mV INPUT EXPANSION MODULE FOR TOUCHPOINT 4		692,00
Z-TP4MAEK	5W	mA INPUT EXPANSION MODULE FOR TOUCHPOINT 4		692,00


**STATAMAT**


BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be**MORLEY IAS**
FIRE SYSTEMS

by Honeywell

Gas Detectors

REFERENCE	Signalpoint Series Detectors		UNIT PRICE IN €
	<p><i>The signalpoint range of detectors offers hazardouscombustible and safe area toxic gas detection suitable for indoor environments.</i></p> <p><i>Sensing elements are replaceable.</i></p> <p><i>Calibration for combustible and toxic gases needs to be done on site!</i></p> <p><i>(See IX Test Equipment : Gas detector test equipment)</i></p>		
			
Z-2106B1100	5W	<p><u>Signalpoint flammable</u></p> <p>SIGNALPOINT 0-100% LEL COMB. SENSOR (mV OUTPUT)</p> <p>IP54 - ATEX II2G EEx d IIC T4 (Tamb = -30°C to +40°C)</p> <p>Average life time is 5 years</p>	320,00
Z-2106B1307	5W	<p><u>Signalpoint toxic</u></p> <p>SIGNALPOINT CO 0-500 ppm TOXIC SENSOR (mA OUTPUT)</p> <p>IP54 - Only to be used in safe zones.</p> <p>Average life time is 48 months.</p>	480,00
Z-2106B1316	5W	<p>SIGNALPOINT O2 0-25%VOL TOXIC SENSOR (mA OUTPUT)</p> <p>IP54 - Only to be used in safe zones.</p> <p>Average life time is 12 months.</p>	480,00
Z-2106B1313	5W	<p>SIGNALPOINT NH3 0-50 ppm TOXIC SENSOR (mA OUTPUT)</p> <p>IP54 - Only to be used in safe zones.</p> <p>Average life time is 18 months.</p>	720,00
Z-2106B1314	5W	<p>SIGNALPOINT NH3 0-1000ppm TOXIC SENSOR (mA OUTPUT)</p> <p>IP54 - Only to be used in safe zones.</p> <p>Average life time is 18 months.</p>	720,00
		Other types of gas detectors are available on demand.	on request

REFERENCE	Sensepoint Series Detectors		UNIT PRICE IN €
	<p><i>The Sensepoint range of flammable, toxic and oxygen gas detectors offer users a low cost solution to their gas monitoring needs, in or out of doors and even in potentially explosive atmospheres (ATEX approval only).</i></p> <p><i>Supplied with a prewired junction box, the detector can be installed using conduit or armored cable and glands depending on individual site standards.</i></p>		
			
Z-SPSTAXF1	5W	<p><u>Sensepoint flammable</u></p> <p>0-100% LEL METHANE DETECTOR (mV OUTPUT)</p> <p>IP65 - ATEX II2GD EEx d IIC T6 (Tamb = -55°C to +55°C)</p> <p>Average life time is 5 years</p>	438,00
Z-SPSTAXC2	5W	<p><u>Sensepoint toxic</u></p> <p>0-500 ppm CARBON MONOXIDE (CO) DETECTOR (mA OUTPUT)</p> <p>IP65 - ATEX II2GD EEx d IIC T4 (Tamb = -20°C to +65°C)</p> <p>Average life time is 48 months.</p>	700,00



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

Z-SPSTAXO1	5W	0-25% VOL OXYGEN (O2) DETECTOR (mA OUTPUT)	700,00
IP65 - ATEX II2GD EEx d IIC T4 (Tamb = -20°C to +65°C) Average life time is 12 months.			
Z-SPSTAXA1	5W	0-50 ppm AMMONIA (NH3) DETECTOR (mA OUTPUT)	790,00
IP65 - ATEX II2GD EEx d IIC T4 (Tamb = -20°C to +65°C) Average life time is 18 months.			
Z-SPSTAXA2	5W	0-1000 ppm AMMONIA (NH3) DETECTOR (mA OUTPUT)	875,00
IP65 - ATEX II2GD EEx d IIC T4 (Tamb = -20°C to +65°C) Average life time is 18 months.			
Other types of gas detectors are available on demand.			on request
<i>Accessories for Signalpoint & Sensepoint sensors</i>			
Z-02000-A-1635	5W	WEATHERPROOF CAP FOR FLAMMABLE DETECTOR	119,00
Z-02000-A-1640	5W	WEATHERPROOF CAP FOR TOXIC/OXYGEN DETECTOR	119,00
Z-02000-A-1642	5W	COLLECTING CONE FOR FLAMMABLE DETECTOR	108,00
Z-00780-A-0160	5W	RIGHT ANGLE MOUNTING BRACKET FOR CEILING MOUNTING	78,00
Only compatible with Sensepoint Series Detectors.			



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be



by Honeywell

REFERENCE Sensepoint Plus Series Detectors UNIT PRICE IN €



The Sensepoint Plus monitors flammable, toxic and oxygen gas hazards in potentially explosive atmospheres and provides an industry standard 4-20mA output for connection to a wide range of control equipment. Incorporation of a transmitter at the sensor enables a single user to carry out routine maintenance of the detector and removes the need for additional personnel at the associated controller.

Z-SPPLAXF1	5W	0-100% LEL METHANE DETECTOR (mA OUTPUT)	875,00
		IP65 - ATEX II2G EEx d IIC T6 Tamb = -20°C to +50°C Average life time sensing element is 5 years.	
Z-SPPLAXC2	5W	0-500ppm CARBON MONOXIDE DETECTOR (mA OUTPUT)	1.138,00
		IP65 - ATEX II2G EEx d IIC T6 Tamb = -20°C to +50°C Average life time sensing element is 48 months.	
Other types of gas detectors are available on demand.			on request

REFERENCE Sensepoint Pro Series Detectors UNIT PRICE IN €



The Sensepoint Pro provides comprehensive monitoring of flammable, toxic and oxygen gas hazards in potentially explosive atmospheres, both in and outdoors. Users can modify detector operation using the remote control provided without ever needing to open the unit. This enables one man, non-intrusive, operation and reduces routine maintenance time and costs. All detectors are supplied pre-configured and include two programmable alarm relays as well as an industry standard 4-20mA output. The scale, range, calibration, relay operation and alarm set points of the detector may all be adjusted via the transmitters' backlit LCD and an intrinsically safe remote control that is also suitable for use in potentially explosive atmospheres. Outputs are automatically inhibited during adjustment thereby reducing the risk of false alarm at the control panel during maintenance.

Z-SPPRAXF1	5W	0-100% LEL METHANE DETECTOR (mA OUTPUT)	1.225,00
		IP65 - ATEX II2G EEx d IIC T6 (Tamb = -20°C to +50°C) Average life time sensing element is 5 years.	
Z-SPRAXC2	5W	0-500ppm CARBON MONOXIDE DETECTOR (mA OUTPUT)	1.485,00
		IP65 - ATEX II2G EEx d IIC T6 (Tamb = -20°C to +50°C) Average life time sensing element is 48 months.	
Other types of gas detectors are available on demand.			on request



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be



by Honeywell



PART IX TEST EQUIPMENT



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem

Tel. 09-2555333 Fax 09-2555339

E-mail info@statamat.be

Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

Fire Detection Test Equipment

Fire Detector Testers

REFERENCE	Smoke Detector Tester Cans	UNIT PRICE IN €
SDT150-12	1W SMOKE DETECTOR TESTERS (12 x 150ml) PRICE PER BOX Handheld unit for functional testing of smoke detectors Non flammable canister Packaged in boxes of 12	160,00
SDT250-12	1W SMOKE DETECTOR TESTERS (12 x 250ml) PRICE PER BOX Unit only to be used in combination with a smoke dispenser Non flammable canister Packaged in boxes of 12 Compatible with Solo330	260,00
SOLO-A7	1W DETECTOR DUSTER For cleaning smoke detectors 250ml - non flammable canister BOX OF 12 CANS	340,00



REFERENCE	Test Equipment Tools - Kits	UNIT PRICE IN €
SOLO 810	1W SMOKE DETECTOR TEST STARTER PACK - 2,5 METRES Kit includes the following: 1 x Solo 101 Fibreglass Extension Pole - 1,13m 1 x Solo 330 Aerosol Smoke Dispenser	380,00
SOLO 808	1W SMOKE DETECTOR TEST STARTER PACK - 4 METRES Kit includes the following: 1 x Solo 108 Fibreglass Extension Pole - 2,5m 1 x Solo 330 Aerosol Smoke Dispenser	540,00
SOLO 809	1W SMOKE DETECTOR TEST STARTER PACK - 6 METRES Kit includes the following: 1 x Solo 100 Fibreglass Telescopic Ext. Pole - 4,5m 1 x Solo 330 Aerosol Smoke Dispenser	810,00





STATAMAT






BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

SOLO 811	4W SMOKE DETECTOR TEST & REMOVAL SET - 6 METRES Kit includes the following: 1 x Solo 100 Fibreglass Telescopic Ext. Pole - 4,5m 1 x Solo 200 Universal Removal Tool 1 x Solo 330 Aerosol Smoke Dispenser 1 x Solo 610 Protective Carrying/Storage Bag		1350,00
SOLO 814	4W SMOKE & MAINS HEAT DETECTOR TEST SET - 6 METRES Kit includes the following: 1 x Solo 100 Fibreglass Telescopic Ext. Pole - 4,5m 1 x Solo 200 Universal Removal Tool 1 x Solo 330 Aerosol Smoke Dispenser 1 x Solo 424 240V Heat Detector Tester 1 x Solo 610 Protective Carrying/Storage Bag		1860,00
SOLO 822	4W SMOKE & CORDLESS HEAT DETECTOR TEST SET - 6 METRES Kit includes the following: 1 x Solo 100 Fibreglass Telescopic Ext. Pole - 4,5m 1 x Solo 200 Universal Removal Tool 1 x Solo 330 Aerosol Smoke Dispenser 1 x Solo 461 Cordless Heat Detector Test Set 1 x Solo 610 Protective Carrying/Storage Bag		2350,00
SOLO 610	1W PROTECTIVE CARRYING STORAGE BAG		215,00

REFERENCE	Test Equipment Tools - Separate Items	UNIT PRICE IN €
SOLO 101	1W FIBERGLASS EXTENSION POLE - 1,13m Reach of 2,5 m including height of man	 120,00
SOLO 108	1W FIBERGLASS 2 SECTION TELESCOPIC POLE - 2,5m Reach of 4 m including height of man	 290,00
SOLO 100	1W FIBERGLASS 4 SECTION TELESCOPIC POLE - 4,5m Reach of 6 m including height of man	 575,00
S713AT	1W ADAPTER TOOL 713 Adapter for connection of ECO1000DRT Compatible with Solo Poles. Incl. magnet tester.	 215,00
SOLO 200	1W UNIVERSAL DETECTOR REMOVAL TOOL Detector removal tool which is compatible with most types of fire detectors.	 400,00






STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
 Tel. 09-2555333 Fax 09-2555339
 E-mail info@statamat.be
 Web www.statamat.be

MORLEY IAS
 FIRE SYSTEMS

by Honeywell

SOLO 330	1W AEROSOL SMOKE DISPENSER Economic and easy for testing smoke detectors. For use with SOLO 100 poles		315,00
SOLO 424	4W HEAT DETECTOR TESTER 220V-240V Complete with 5 metre cable		605,00
SOLO 461	4W CORDLESS HEAT DETECTOR TESTER Kit includes : 1 x 460-001 cordless Heat Unit 2 x 720-001 Battery Baton 1 x 725-001 Fast Charger		1170,00

REFERENCE	Testifire 1000 Series Multi-Sensor Detector Testers	UNIT PRICE IN €
-----------	------------------------------------------------------------	--------------------

TESTIFIRE 1000-001	1W TESTIFIRE 1000-001 SMOKE/HEAT UNIT Includes: 1 x Testifire 1000-001 Head Unit 1 x TS3-001 Smoke Capsule		1780,00
TESTIFIRE 1001-001	1W TESTIFIRE 1001-001 SMOKE/HEAT KIT Includes: 1 x Testifire 1000-001 Head Unit 1 x TS3-001 Smoke Capsule 2 x SOLO 760 NIMH Battery Baton 1 x Solo 725-001 Fast Charger		2180,00
TESTIFIRE 6001-001	4W TESTIFIRE 6001-001 SMOKE/HEAT KIT 6 METRES Includes: 1 x Testifire 1000-001 Head Unit 1 x TS3-001 Smoke Capsule 2 x Solo 760-001 NIMH Battery Baton 1 x Solo 725-001 Fast Charger 1 x Solo 100-001 Fibreglass Telescopic Access Pole 4.5 metres 1 x Solo 200-001 Universal Detector Removal Tool 1 x Solo 610-001 Protective Carrying / Storage Bag		3100,00
TESTIFIRE 9001-001	4W TESTIFIRE 9001-001 SMOKE/HEAT KIT 9 METRES Includes: 1 x Testifire 1000-001 Head Unit 1 x TS3-001 Smoke Capsule 2 x Solo 760-001 NIMH Battery Baton 1 x Solo 725-001 Fast Charger 1 x Solo 100-001 Fibreglass Telescopic Extension Pole 4.5 metres 3 x Solo 101-001 Fibreglass Extension Pole 1.13metres 1 x Solo 200-001 Universal Detector Removal Tool 1 x Solo 610-001 Protective Carrying / Storage Bag		3430,00



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE





Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS



by Honeywell

REFERENCE	Testifire 2000 Series Multi-Sensor Detector Testers		UNIT PRICE IN €
-----------	-----------------------------------------------------	--	--------------------

▼▼ NEW

TESTIFIRE 2000-001	1W	TESTIFIRE 2000-001 SMOKE/HEAT/CO UNIT Includes: 1 x Testifire 2000-001 Head Unit 1 x TS3-001 Smoke Capsule 1 x TC3-001 CO Capsule		2280,00
TESTIFIRE 2001-001	1W	TESTIFIRE 2001-001 SMOKE/HEAT/CO KIT Includes: 1 x Testifire 2000-001 Head Unit 1 x TS3-001 Smoke Capsule 1 x TC3-001 CO Capsule 2 x Solo 760-001 NIMH Battery Baton 1 x Solo 725-001 Fast Charger		2680,00
TESTIFIRE 6201-001	4W	TESTIFIRE 6201-001 SMOKE/HEAT/CO KIT 6 METRES Includes: 1 x Testifire 2000-001 Head Unit 1 x TS3-001 Smoke Capsule 1 x TC3-001 CO Capsule 2 x Solo 760-001 NIMH Battery Baton 1 x Solo 725-001 Fast Charger 1 x Solo 100-001 Fibreglass Telescopic Access Pole 4.5 metres 1 x Solo 200-001 Universal Detector Removal Tool 1 x Solo 610-001 Protective Carrying / Storage Bag		3560,00
TESTIFIRE 9201-001	4W	TESTIFIRE 9201-001 SMOKE/HEAT/CO KIT 9 METRES Includes: 1 x Testifire 2000-001 Head Unit 1 x TS3-001 Smoke Capsule 1 x TC3-001 CO Capsule 2 x Solo 760-001 NIMH Battery Baton 1 x Solo 725-001 Fast Charger 1 x Solo 100-001 Fibreglass Telescopic Extension Pole 4.5 metres 3 x Solo 101-001 Fibreglass Extension Pole 1.13metres 1 x Solo 200-001 Universal Detector Removal Tool 1 x Solo 610-001 Protective Carrying / Storage Bag		3890,00

REFERENCE	Testifire Replacement Capsules		UNIT PRICE IN €
-----------	--------------------------------	--	--------------------

TS3-001	1W	REPLACEMENT SMOKE CAPSULE PRICE PER 6 PCS Up to 900 tests per capsule! (price per box of 6pcs)		525,00
TC3-001	1W	REPLACEMENT CO CAPSULE PRICE PER 6 PCS Up to 900 tests per capsule! (price per box of 6pcs)		525,00

**STATAMAT**

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem







Tel. 09-2555333 Fax 09-2555339



E-mail info@statamat.be

Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

REFERENCE	Detector Tester Spare Parts		UNIT PRICE IN €
SPARE1002	4W	PAIR OF TRANSPARENT GRIPS FOR SOLO 200	 16,70
SPARE1005	4W	SILICONE MEMBRANE FOR SOLO300	 24,95
SPARE1028	4W	AEROSOL RETAINING CUP	 55,00
SOLO 460-001	4W	CORDLESS HEAT DETECTOR HEAD UNIT ONLY	 840,00
SOLO 760-001	4W	NIMH BATTERY BATON	 155,00
SOLO 725-001	4W	220/240V MAINS & CAR CHARGER	 210,00

REFERENCE	System Sensor Test Equipment		UNIT PRICE IN €
ECO 1000DRT	1W	DETECTOR REMOVAL TOOL ECO1000 Compatible with the S713AT adapter tool.	 36,70
ECO1000RTU	1W	REMOTE LASER TEST UNIT The unit transmits a coded message, preventing spurious alarms being generated by other laser-based devices. With a range of several metres, the hand held test unit provides an effortless way of remotely alarm testing the range of ECO1000 detectors and removes the need for any direct physical access by the user.	 43,90
M02-04-00	1W	TEST MAGNET For all Series Detectors. Activates internal reed switch to give alarm	3,10
M02-09-00	1W	TEST MAGNET ON TELESCOPIC ROD For all Series Detectors. Activates internal reed switch to give alarm	41,50

**STATAMAT**

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be**MORLEY IAS**
FIRE SYSTEMS

by Honeywell

REFERENCE	SAGITTARIUS Series Test Equipment	UNIT PRICE IN €
-----------	-----------------------------------	--------------------

▼▼ NEW**SGW2W 2W TEST KIT FOR SAGITTARIUS WIRELESS SYSTEM****1940,00****▼▼ NEW****SG-DRT 2W DETECTOR HEAD REMOVAL TOOLS**
For SAGITTARIUS series wireless detectors.
Compatible with SOLO 100 pole series by S713AT adapter**241,00**

REFERENCE	F2100 Series Test Equipment	UNIT PRICE IN €
-----------	-----------------------------	--------------------

PING2100 1W WIRELESS TEST DETECTOR**385,00****Loop Tester**

REFERENCE	POL-100 Polling Tool	UNIT PRICE IN €
-----------	----------------------	--------------------

Compatible with Notifier loop protocol

▼▼ NEW

*The POL-100 replaces the old POLLING-T.
It is designed to help the technician for the analogue loop commissioning. The POL-100 is equipped with a blue backlit display and removable terminals. A USB port allows to upload the data to a laptop. It is powered via batteries.*

*The POL-100 displays :*

- The resistance between loop wires & wires and earth
- The voltage on the loop
- the identification of devices (auto-learn)
- Eventually, the double or missed address
- the PW value of each detector

*It is also able to register informations of a device for later diagnostic.***POL-100 1W POLLING TOOL****1495,00****POL-100 ACC 1W ACCESSORY BELT FOR POL-100****189,00**

**STATAMAT**

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem

Tel. 09-2555333 Fax 09-2555339

E-mail info@statamat.be

Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

Flame Detector Testers

REFERENCE	Flame Detector Testers		UNIT PRICE IN €
▼▼ NEW			
20/20 SERIES			
	<ul style="list-style-type: none"> * Specially designed to use with the 20/20 series * Based on a emitting of electromagnetic radiation recognized by the specific Flame Detectors * Allows to test Detectors under real conditions without the associated risks of an open flame. * The simulators use NiCd batteries as a rechargeable power source * Possibility to add a collimator to extend the range of application 		
20/20-310	5W FIRE SIMULATOR FOR TRIPLE IR FLAME DETECTORS (20/20I, 20/20XI, 20/20SI, 20/20MI, 20/20FI, 20/20CTIN and CTIP)		8685,00
20/20-311	5W FIRE SIMULATOR FOR UV/IR FLAME DETECTORS (20/20L-LB, 20/20ML, 20/20F, 20/20U-UB and 20/20MU)		7925,00
20/20-312	5W FIRE SIMULATOR FOR SINGLE IR FLAME DETECTORS (20/20R and 20/20MR)		7925,00
20/20-313	5W FIRE SIMULATOR FOR HYDROGEN FLAME DETECTORS (20/20H, 20/20SH and 20/20MH)		8685,00
20/20-190	5W COLLIMATOR FOR 20/20 SIMULATORS		820,00
X SERIES			
OI TESTER	8W MAGNET TESTER FOR X SERIES For initialisation of the Oi Test.		78,00
OI TESTER /POLE	8W MAGNET TESTER FOR X SERIES For initialisation of the Oi Test. Pole included		610,00
LASERAIMER	8W LASER AIMER Cone of vision tester for sighting and testing the area of coverage of the flam detector.		1285,00
Q1201C1001	8W ACCESSORY FOR MOUNTING THE LASER AIMER		1110,00
▼▼ NEW			
W8066A1001	8W TESTER FOR UV FLAME DETECTORS Works with a 9V pile		2.250,00
▼▼ NEW			
W867C3002	8W EEX TESTER FOR UV/IR FLAME DETECTORS FM agreed Includes Accus & Charger		11.475,00
▼▼ NEW			
W8067S1003	8W TESTER FOR UV/IR FLAME DETECTORS Includes Accus. option: W8067S-Ch charger		1.445,00
▼▼ NEW			
W8067S-CHG	8W CHARGER FOR UV/IR TESTER		472,00



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem

Tel. 09-2555333 Fax 09-2555339

E-mail info@statamat.be

Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

Gas Detector Tester

REFERENCE	Gas Detector Test Kit	UNIT PRICE IN €
-----------	-----------------------	--------------------

▼▼ NEW

Z-CAL-COM 5W	GAS DETECTOR CALIBRATION KIT - COMBUSTIBLE DETECTORS	725,00
---------------------	-------------------------------------------------------------	---------------

The test kit includes the following items:

1 x Z-02000-A1645 calibration gas flow housing Signalpoint

& Sensepoint

1 x Z-ZCALREG pre-set flow regulator

1m Z-SPPPTUB tygon tube

1 x Z-ZCAL2ALF1 2,2%VOL Methane in Cylindre

1 x Z-2302D0765 Case for storing the above products

Z-CAL-CO 5W	GAS DETECTOR CALIBRATION KIT - CO GAS DETECTORS	725,00
--------------------	--------------------------------------------------------	---------------

The test kit includes the following items:

1 x Z-02000-A1645 calibration gas flow housing Signalpoint

& Sensepoint

1 x Z-ZCALREG pre-set flow regulator

1m Z-SPPPTUB tygon tube

1 x Z-ZCAL2ALC3 250ppm Carbon Monoxide in Cylindre

1 x Z-2302D0765 Case for storing the above products

REFERENCE	Gas Detector Test Kit - Accessories	UNIT PRICE IN €
-----------	-------------------------------------	--------------------

Z-02000-A1645 5W	CALIBRATION GAS FLOW HOUSING FOR SIGNALPOINT & SENSEPOINT	124,00
-------------------------	----------------------------------------------------------------------	---------------

Z-SPPPCAL 5W	CALIBRATION CUP FOR SENSEPOINT PRO & PLUS	108,00
---------------------	------------------------------------------------------	---------------

Z-ZCALREG1 5W	PRE-SET 0,3l/M FLOW REGULATOR	232,00
----------------------	--------------------------------------	---------------

Z-SPPPTUB 5W	1M TYGON TUBING (SUITABLE FOR ALL GASES)	33,50
---------------------	-------------------------------------------------	--------------

Z-2302D0765 5W	CASE FOR UP TO 2x2 ALU. GAS CYLINDERS, REGULATOR, TUBING	170,00
-----------------------	-----------------------------------------------------------------	---------------

REFERENCE	Gas Detector Test Cylinders	UNIT PRICE IN €
-----------	-----------------------------	--------------------

Consumable 2AL Cylinder (34 L) - Approximately 30 Calibrations

Z-ZCAL2ALF1 5W	2,2%VOL. METHANE IN AIR (EU=50% LEL, US=44% LEL)	211,00
-----------------------	---------------------------------------------------------	---------------

Z-ZCAL2ALO1 5W	20,9%VOL OXYGEN IN AIR	211,00
-----------------------	-------------------------------	---------------

Z-ZCAL2ALC3 5W	250 ppm CARBON MONOXIDE IN AIR	211,00
-----------------------	---------------------------------------	---------------

Z-ZCAL2ALA1 5W	25 ppm AMMONIA IN AIR	443,00
-----------------------	------------------------------	---------------

Z-ZCAL2ALA2 5W	300 ppm AMMONIA IN AIR	443,00
-----------------------	-------------------------------	---------------





STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem


Tel. 09-2555333 Fax 09-2555339

E-mail info@statamat.be

Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell



PART X

SPARE PARTS

**STATAMAT**

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be**MORLEY IAS**
FIRE SYSTEMS

by Honeywell

X - SPARE PARTS

REFERENCE	Horizon Panels	UNIT PRICE IN €
020-817	1W SPARE TEXT INSERT LABELS R1 (old code: 020-710-001) Dutch, French, English, German, Swedish and Danish slide in labels.	13,00
020-823	1W SPARE ALLEN KEY 4MM RIGHT ANGLE (old code: 334-032)	13,00
020-865	1W PACK OF 10 SPARE RED KEYS (old code: 334-067-006)	60,00
020-745-008	1W SPARE INSTALLATION KIT Includes 8 capacitive end of lines, battery leads, Allen key, panel controls key and sounder end of line resistors.	57,25
020-849	1W TWO ZONE REPLACEMENT PCB (old code: 124-345-002)	250,00
020-850	1W FOUR ZONE REPLACEMENT PCB (old code: 124-345-004)	317,00
020-851	1W EIGHT ZONE REPLACEMENT PCB (old code: 124-345-008)	452,00
020-852	1W REPLACEMENT POWER SUPPLY BASEBOARD FOR NFS PANEL RANGE (old code: 124-346)	147,50



REFERENCE	Analogue ZX Control Panels	UNIT PRICE IN €
384-932	2W Fascia label for ZX1e and ZX2e (front sheet)	130,00
384-931	2W Fascia label for ZX5e (front sheet upper and lower)	196,00
796-163	1W 1-Loop Base Mainboard for ZX1e (pcb 124-209-003)	812,00
796-157	1W 2-Loop Base Mainboard for ZX2e (pcb 124-209-002)	859,00
796-162	1W 5-Loop Base Mainboard for ZX5e (pcb 124-354)	1052,00
796-158	1W Display 2x40 characters. LCD display (pcb 124-327)	547,00
796-156	1W Power supply for ZX1e/ZX2e 2-Amp. (pcb 124-207-003)	667,00
796-161	1W Power supply for ZX5e 3-Amp. (pcb 124-205-002)	890,00
124-196	1W 230VAC mains input filter for all ZX models	151,00
796-045	1W Microprocessor board for Zxe series panels Without software (pcb 124-206)	645,00







STATAMAT









BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

795-072	1w Loop driver card Morley protocol for Zxe series panels		281,00
796-164-000	1w Set of EPROMS for ZXe series panels Eproms programmed with the latest software.		130,00
KEYLCK_ DRK220	1w Lock and Key for all ZX control panels		22,00
797-021	1w Spare Key for all ZX control panels (quantity 1)		13,00
795-080	1w Interface lead(cable) for ZX & DX Morley panels to PC (RS232)		260,00
795-045	1w RS485 to RS232 convertor		859,00

REFERENCE	Analogue DX Dimension Control Panels		UNIT PRICE IN €
796-150	1w Single loop motherboard for DX1e (pcb 124-336)		1078,00
796-151	1w 2 loop motherboard for DX2e/4e (pcb 124-344)		1942,00
796-152	1w 2 loop PLUG IN card for DX4e (pcb 124-351)		1723,00
795-083	1w Keyswitch kit. Keyswitch and 2 keys for DX control panels		154,00
795-084	1w Spare Key for all DX control panels (PACK OF 5)		62,00
384-944	1w Fascia label for Dimension series control panels (front sheet)		140,00
795-080	1w Interface lead(cable) for ZX & DX Morley panels to PC (RS232)		260,00
796-153	1w Display card for all DX panels (pcb 124-335)		526,00

REFERENCE	VSN - RP1r		UNIT PRICE IN €
RP1r-PCB	1w VSN - RP1r BASE PCA ASSEMBLY KIT		468,00
RP1r-CLL	1w SPARE LOCK + KEY (1 KEY ONLY)		45,75



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE






Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

REFERENCE **MCP** UNIT PRICE
IN €

**EN12094-3
SERIES**

ESS-704902	1W	YELLOW HOUSING FOR ELECTRONIC CONTROL UNIT includes plastic key		5,05
ESS-704901	1W	BLUE HOUSING FOR ELECTRIC STOP PUSH BUTTON includes plastic key		5,05
ECP-LABELS Y	1W	FRONT LABEL FOIL FOR MANUAL CONTROL UNIT includes Dutch, French, English, German & Italian labels		7,00
ECP-LABELS B	1W	FRONT LABEL FOIL FOR ELECTRIC STOP PUSH BUTTON includes Dutch, French, English, German & Italian labels		7,00
ESS-769910	1W	PLASTIC KEY FOR CLASS B MCP		0,40
KG1 X 10	1W	SPARE EN54 BREAK GLASS FOR ALL KAC CALL POINTS PACK OF 10		16,20

MCP SERIES

PS230	1W	SPARE EN54 FLEXIBLE OP. ELEMENTS FOR MCP CALL POINTS PACK OF 10		20,40
SC070	1W	PACK OF 10 SPARE TEST KEYS		11,54
SC071	1W	PACK OF 20 TERMINAL BLOCKS		81,00

W SERIES

WF1-EN54	1W	SPARE EN54 FLEXIBLE OPERATING ELEMENT FOR W CALL POINTS		1,40
SC070	1W	PACK OF 10 SPARE TEST KEYS		11,54

W 9100

C 71	5W	SPARE KEY FOR KEY SWITCHES 2 POSITIONS		8,10
C 273	5W	SPARE KEY FOR KEY SWITCHES 3 POSITIONS		8,10
C 690	5W	SPARE KEY FOR KEY SWITCHES 2 POSITIONS RAINPROOF UNIT		8,10

REFERENCE **Duct Detector Accessories** UNIT PRICE
IN €

F-36-05-00	3W	TUBE END PLUG FOR FOR DUCT DETECTOR		6,10
P-48-21-00	3W	TUBE END PLUG FOR DUCT DETECTOR		on request
A-2650-01	3W	COMPLETE INSTALLATION KIT FOR DUCT DETECTOR		on request
02-FL54	3W	SPARE FILTER ELEMENT FOR FLU2 FILTER UNIT		170,00

REFERENCE **A300 - Aspirating Systems** UNIT PRICE
IN €

02-FL50	3W	REPLACEMENT FILTER FOR A300 SERIES		43,00
02-LA0015	3W	REPLACEMENT KEY TO OPEN A300 ENCLOSURE		On request
02-FL54	3W	REPLACEMENT FILTER FOR 02-FLU2 (pack of 10)		170,00



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

REFERENCE	SAT Aspirating Systems	UNIT PRICE IN €
-----------	------------------------	--------------------

FIL- INT	1W INTERNAL FILTER CARTRIDGE	39,00
FIL- EXT	1W SPARE KIT OF 3 FILTERS FOR PFIL-EXT	39,00
FIL-NAS2	1W SAT-2 INTERNAL FILTER CARTRIDGE	172,00
	To separate smoke particles	
NAS2-FAN	4W SPARE FAN FOR SAR-2 ASPIRATING SYSTEM	125,00

REFERENCE	NX Series	UNIT PRICE IN €
-----------	-----------	--------------------

SLENSA	1W STAND ALONE STROBE AMBER CLIP-ON LENS	1,56
	x = color : A=Amber; B=Blue; G=Green;R=Red	

REFERENCE	NXS Series	UNIT PRICE IN €
-----------	------------	--------------------

SSLENSx	1W SOUNDER STROBE CLIP-ON LENS	0,85
	x = color : A=Amber; B=Blue; G=Green;R=Red	

REFERENCE	MS Series	UNIT PRICE IN €
-----------	-----------	--------------------

MSD/x	1W DOME FOR MS2/	18,20
	x = color : A=Amber; R=Red; B=Blue	

REFERENCE	ZAREBA UNIPOINT	UNIT PRICE IN €
-----------	-----------------	--------------------

Z-2306B3010	5W UNIPOINT TERMINAL BLOK (2x)	23,00
Z-2306B3020	5W UNIPOINT DIN RAIL SOCKET	23,00
Z-2306B3030	5W UNIPOINT POWER CONNECTOR	23,00

REFERENCE	ZAREBA TOUCHPOINT	UNIT PRICE IN €
-----------	-------------------	--------------------

TP1		
Z-TP1MAN	5W INSTRUCTION MANUAL	51,10
Z-TP1WMB	5W WALL MOUNTING BRACKET	77,20
Z-TP1MVIM	5W REPLACEMENT mV INPUT MODULE	510,00
Z-TP1MAIM	5W REPLACEMENT mA INPUT MODULE	510,00
Z-TP1MVDM	5W REPLACEMENT mV DISPLAY MODULE	510,00
Z-TP1MADM	5W REPLACEMENT mA DISPLAY MODULE	510,00
Z-TP1IDC	5W IDC LEAD (DISPLAY TO INPUT MODULE)	102,25
Z-SPPPMTS	5W TERMINAL SCREW AND 'U' CLAMP (BAG OF 20)	51,10



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be

MORLEY IAS
FIRE SYSTEMS

by Honeywell

TP4

Z-TP4MAN	5W	INSTRUCTION MANUAL	51,10
Z-TP4WMB	5W	WALL MOUNTING BRACKET	128,00
Z-TP4CMIM	5W	REPLACEMENT INPUT MODULE FOR COMMON MODULE	880,00
Z-TP4CMDM	5W	REPLACEMENT DISPLAY MODULE FOR COMMON MODULE	710,00
Z-TP4MVIM	5W	REPLACEMENT mV INPUT MODULE	385,00
Z-TP4MAIM	5W	REPLACEMENT mA INPUT MODULE	385,00
Z-TP4MVDM	5W	REPLACEMENT mV DISPLAY MODULE	520,00
Z-TP4MADM	5W	REPLACEMENT mA DISPLAY MODULE	520,00
Z-TP4IDC	5W	IDC LEAD (DISPLAY TO INPUT MODULE)	102,25
Z-TP4INT	5W	INTERCONNECT CABLE (INPUT MODULE TO INPUT MODULE)	51,10
Z-SPPMTS	5W	TERMINAL SCREW AND 'U' CLAMP (BAG OF 20)	51,10

REFERENCE ZAREBA SIGNALPOINT UNIT PRICE IN €

Z-2106B1130	5W	0-100% LEL FLAM. REPLACEMENT LID	371,00
Z-2106B1545	5W	O2 ELECTROCHEMICAL CELL	464,00
Z-2106B11549	5W	H2S ELECTROCHEMICAL CELL	464,00
Z-2106B1548	5W	CO ELECTROCHEMICAL CELL	464,00
Z-2106B1596	5W	0-50PPM NH3 ELECTROCHEMICAL CELL	740,00

REFERENCE ZAREBA SENSEPOINT UNIT PRICE IN €

Z-SPSTAXF1SS	5W	0-100% LEL FLAM. REPLACEMENT LID	800,00
Z-SPSTAX01SS	5W	O2 ELECTROCHEMICAL CELL	620,00
Z-SPSTAXC2SS	5W	CO ELECTROCHEMICAL CELL	720,00
Z-SPSTAXA1SS	5W	NH3 0-50PPM ELECTROCHEMICAL CELL	825,00
Z-SPSTAXA2SS	5W	NH3 0-1000PPM ELECTROCHEMICAL CELL	925,00

REFERENCE ZAREBA SENSEPOINT PLUS UNIT PRICE IN €

Z-SPPPXF1SS	5W	0-100% LEL FLAM. REPLACEMENT LID	800,00
Z-SPPPXCXSS	5W	0-500PPM CO ELECTROCHEMICAL CELL	620,00
Z-SPPLTRF1	5W	METHANE DETECTOR TRANSMITTER	805,00
Z-SPPLTRC2	5W	0-500PPM CO DETECTOR TRANSMITTER	805,00

REFERENCE ZAREBA SENSEPOINT PRO UNIT PRICE

Z-SPPPXF1SS	5W	0-100% LEL FLAM. REPLACEMENT LID	800,00
Z-SPPPXCXSS	5W	0-500PPM CO ELECTROCHEMICAL CELL	620,00
Z-SPPRDMF1	5W	METHANE DETECTOR DISPLAY MODULE	840,00
SPPRDMC3	5W	CO DETECTOR DISPLAY MODULE	840,00
SPPRTMF1	5W	METHANE DETECTOR TERMINAL BLOC	800,00
SPPRTMC2	5W	CO DETECTOR TERMINAL BLOC	720,00



STATAMAT

BRANDPREVENTIE - BRANDBESTRIJDING - DETECTIE

Finlandstraat 5A (haven 8000C) 9940 Evergem
Tel. 09-2555333 Fax 09-2555339
E-mail info@statamat.be
Web www.statamat.be